

AMENDMENTS TO THE CLAIMS

Please amend the claims as indicated:

- 1 1. (Original) A method for automated management of hydrocarbon gathering, the
2 method comprising:
3 collecting data from a plurality of automated measurement and control devices
4 positioned in a hydrocarbon gathering system;
5 comparing the collected data with data stored in a database; and
6 using the data comparison to automatically schedule a test of at least one of the
7 plurality of automated measurement and control devices.
8
- 1 2. (Original) The method of claim 1, wherein the data stored in the database is
2 automatically updated with the collected data.
3
- 1 3. (Original) The method of claim 1, wherein the stored data comprises contractual
2 provisions contained in contracts between a hydrocarbon gathering company and another
3 entity.
4
- 1 4. (Original) The method of claim 3, wherein the contractual provisions comprise a
2 testing frequency for the automated measurement and control devices.
3
- 1 5. (currently amended) The method of claim 1, wherein the ~~management~~ collected data
2 comprises test scheduling data defined by a hydrocarbon gathering company.
3

1 6. (Original) The method of claim 1, wherein the plurality of measurement and control
2 devices comprises electronic flow meters.

3

1 7. (Original) The method of claim 1, wherein the plurality of automated measurement
2 and control devices comprises programmable logic controllers.

3

1 8. (Original) The method of claim 1, wherein the plurality of automated measurement
2 and control devices comprises remote terminal unit.

3

4 9. (Original) The method of claim 1, wherein the plurality of automated measurement
5 and control devices comprises automated gas composition analysis devices.

6

7 10. (Original) The method of claim 1, wherein using the data comparison further
8 comprises:

9 notifying a field technician of a required test for at least one of the plurality of
10 automated measurement and control devices; and

11 automatically notifying a witness of the test after the field technician has selected
12 a test date.

13

1 11. (previously presented) A method for automated management of hydrocarbon
2 gathering, the method comprising:

3 collecting data from a plurality of automated measurement and control devices

4 positioned in a hydrocarbon gathering system;

5 comparing the collected data with data stored in a database;
6 using the data comparison to automatically schedule a test of at least one of the
7 plurality of automated measurement and control devices;
8 analyzing the collected data to determine a volume of a flow of hydrocarbons
9 through at least one of the plurality of automated measurement and control
10 devices;
11 comparing the volume of the hydrocarbon flow to contractual provisions stored in
12 the database; and
13 automatically scheduling meter tests according to the stored contractual
14 provisions.

15

1 12. (previously presented) The method of claim 11, further comprising:
2 automatically updating the database after testing of at least one of the plurality of
3 automated measurement and control devices.

4

1 13. (Original) The method of claim 11, wherein selected field personnel are
2 automatically notified of the automatically scheduled tests.

3

1 14. (Original) The method of claim 13, wherein the automatic notification is transmitted
2 electronically.

3

1 15. (Original) The method of claim 11, wherein a witness is automatically notified of the
2 automatically scheduled tests.

3

1 16. (Original) The method of claim 15, wherein the automatic notification is transmitted
2 electronically.

3

1 17. (previously presented) The method of claim 11, further comprising:
2 testing at least one of the plurality of automated measurement and control devices;
3 automatically comparing test data with master testing data stored in the database;
4 and
5 generating an alarm if a variance between the new testing data and the master
6 testing data exceeds a selected threshold.

7

1 18. (previously presented) The method of claim 11, further comprising:
2 automatically measuring electrical current flow in at least one cathodic protection
3 system positioned in the hydrocarbon gathering system; and
4 generating an alarm if the automatically measured electrical current flow exceeds
5 a selected threshold.

6

1 19. (previously presented) The method of claim 11, wherein a computer system
2 connected to the database automatically generates an alarm when a selected event
3 is detected.

4

1 20. (Original) The method of claim 19, wherein the selected event comprises detection of
2 non-conforming test data collected from at least one of the plurality of automated

3 measurement and control devices.

4

1 21. (Original) The method of claim 19, wherein the selected event comprises detection of
2 a failure of at least one of the plurality of automated measurement and control
3 devices.

4

1 22. (Original) The method of claim 19, wherein the selected event comprises detection of
2 a system imbalance beyond a selected threshold.

3

1 23. (Original) The method of claim 19, wherein the selected event comprises detection of
2 a change in natural gas composition beyond a selected threshold.

3

1 24-50 **canceled.**

2

1 51. (Original) The method of claim 1, wherein the collected data and data stored in the
2 database are used to model pipeline hydraulics.

3

1 52. (Original) The method of claim 1, further comprising:
2 using the collected data and data stored in the database to automatically generate a
3 report for a selected unit of a hydrocarbon gathering system.

4

1 53. (Original) The method of claim 1, wherein the collected data and data stored in the
2 database are used to evaluate reservoir production.